



YGHP2C6W6W Figure 6 Compression Grounding Connector, #6 Sol-#2 Str Run, #8 Sol-#6 Tap

By Burndy
Catalog # [YGHP2C6W6W](#)



Compression Ground Tap Copper Connector, Tin Hot Dipped, #6 Sol-#2 Str. (Run), #8 Sol-#6 Str. (Tap), High Strength Copper Irreversible Compression.

Application

For Direct Burial In Earth And Concrete

General

Catalog Number	YGHP2C6W6W
Connector Type	Tap
Die Index	O
EU RoHS Indicator	Yes
Material	Copper
Oxide Inhibitor Type	Penetrox E
Physical Attribute - Number of Crimps Required	1
Plated	N
Plating Type	Unplated
Prefilled Oxide Inhibitor	Y
Sub Brand	HYTAP
Trade Name	HYTAP™
Type	Taps
UPC	781810085301
UPC 12 Digit	7818100853011

Dimensions

Dimension - B Length fraction	3/4 in
Dimension - B Length inch	0.75 in

Conductor Related

Conductor - Copper Solid Run	6 AWG;5 AWG;4 AWG;3 AWG;2 AWG;1 AWG
Conductor - Copper Solid Run Range	6 AWG-1 AWG
Conductor - Copper Solid Tap	8 AWG;7 AWG;6 AWG;5 AWG
Conductor - Copper Solid Tap Range	8 AWG-5 AWG
Conductor - Copper Str Run	6 AWG;5 AWG;4 AWG;3 AWG;2 AWG;1 AWG
Conductor - Copper Str Run Range	6 AWG-1 AWG
Conductor - Copper Str Tap	8 AWG;7 AWG;6 AWG;5 AWG
Conductor - Copper Str Tap Range	8 AWG-5 AWG

Certifications And Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Listed Direct Burial	Yes
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	Direct Burial
Standards - Industry Standards Met	UL467;IEEE 837;IEEE 837 2014 Qualified
Standards - RoHS Compliance Status	CM
UL Listed	Yes

Logistics

Carton Quantity	50
Minimum Pack Quantity	1
Pallet Quantity	14500

Product Assets

- [3D Models - YGHP2C6W6W_MODEL-PDF](#)
- [3D Models - YGHP2C6W6W_MODEL-IGES](#)
- [3D Models - YGHP2C6W6W_MODEL-STEP](#)
- [Catalogs - Full Line BURNDY Catalog](#)
- [Catalogs - Section E1 - Compression Grounding](#)
- [Customer Notices - Prop 65 Notice](#)
- [Product Cross Section Image\(s\) - BUR_YGHP-C_LineArt](#)
- [Sales Drawings - sd082473-01](#)
- [Sell Sheets - HYTAP™ Figure 6 Connector, HYGROUND® Mechanical Grounding](#)

