

FTL-CCR003M



TracerLight® Fiber Optic Patch Cord, 1.7 mm duplex, singlemode, LC/UPC to LC/UPC, RBR, blue, 3 m

- Offers a quick and accurate method of identifying the termination point of optical patch cords
- Each end of a TracerLight patch cord features a flashing light source allowing technicians to visually trace individual patch cords
- Dramatically minimizes the risk of taking the wrong fiber out of service while improves system turn-up speed and accuracy
- Ideally suited for Central Offices, Data Centers and cross-connect patching

Product Classification

Regional Availability	Latin America North America
Product Type	Fiber patch cord, duplex
Product Brand	TracerLight®
Product Series	FTL

General Specifications

Color, boot A	Blue
Color, boot B	Blue
Color, connector A	Blue
Color, connector B	Blue
Connector A, quantity	2
Connector B, quantity	2
Interface, Connector A	LC/UPC
Interface, Connector B	LC/UPC
Jacket Color	Blue
Total Fibers, quantity	2

Dimensions

Cord Length	3 m 9.843 ft
Diameter Over Jacket	1.7 mm 0.067 in

Optical Specifications

Fiber Mode	Singlemode
Fiber Type	G.657.A2

FTL-CCR003M

Insertion Loss, maximum, connector A	0.3 dB
Insertion Loss, maximum, connector B	0.3 dB
Return Loss, minimum, connector A	55 dB
Return Loss, minimum, connector B	55 dB

Environmental Specifications

Environmental Space	Plenum
----------------------------	--------

Packaging and Weights

Packaging quantity	1
---------------------------	---

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant/Exempted

